



EMSEAL Joint Systems, Ltd.
25 Bridle Lane, Westborough, MA 01581 USA
www.emseal.com

Safety Data Sheet

AST Hi-Acrylic Sealant Tape

Preparation Date March 15, 2015 **Revision Date** April 5, 2017

1. Identification of the Substance / Preparation

Product identifier	AST Hi-Acrylic Sealant Tape
Other identifier or names	All sizes of AST or ASH Foam
UN ID number	None
Manufacturer Address	EMSEAL LLC 120 Carrier Drive Toronto, Ontario M9W 5R1 Canada
Company Phone	(508) 836-0280 M-F 9am - 5pm
Emergency Phone	CHEMTREC (800) 424-9300 (24 Hours)
CHEMTREC International Phone	+1 703-527-3887 (24 Hours)

2. Hazardous Identification

Hazardous Classification	This product is not classified as hazardous when used as intended.
Signal Word	None
Pictograms	None
Emergency Overview:	No emergency requirements.

3. Composition / Information on Ingredients

EMSEAL AST Hi-Acrylic Sealant Tape is composed of polyurethane foam (polyester type), flexible, impregnated with an asphalt and acrylic copolymer.

These ingredients are not classified as hazardous as comprised in AST Hi-Acrylic Sealant Tape.

4. First Aid Measures

4.1 EYES:	Flush with water for at least 15 minutes, and call physician if problems persist.
4.2 SKIN:	Product may leave a sticky residue, and mild irritation if prolonged exposure. Scrub with soapy water until adhesive is removed.
4.3 INGESTION:	Do not eat – call physician if ingested.



5. Fire-fighting Measures

5.2 FLAMMABILITY:	Slight. Material can support an open flame or smoldering ignition. The foam can melt while burning which can contribute fire to spread.
5.2 FLASH POINT:	Unknown.
5.3 AUTO-IGNITION TEMPERATURE:	Unknown.
5.4 EXTINGUISHING MEDIA:	Large volumes of water, or ABC chemical may be appropriate for initial control or small volumes of impregnated foam.
5.5 HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon di/mon oxides will be formed as well as other noxious and toxic fumes upon combustion – do not breath combustion products.

6. Accidental Release Measures

If material is unusable pick up pieces and dispose of in accordance with local regulations; material and all components are non-toxic and normal landfill will most often be acceptable.

7. Handling and Storage

Store in original packaging below 35°C. There are no special handling instructions.

8. Exposure Controls / Personal Protection

8.1 RESPIRATORY PROTECTION:	Not required
8.2 EYE PROTECTION:	Not required
8.3 SKIN PROTECTION:	Gloves of any material are suitable if desired, but not required. No other protection is required.

9. Physical and Chemical Properties

9.1 APPEARANCE:	Dark grey / charcoal colored foam reel supplied on a cardboard core.
9.2 ODOR:	Slight characteristic odor.
9.3 PERCENT SOLIDS BY WEIGHT:	100%
9.4 PHYSICAL STATE:	Solid
9.5 PERCENT VOLATILE:	<1% wt/wt
9.6 DENSITY:	0.4g/cm ³
9.7 DECOMPOSITION:	> 300°C
9.8 SOLUBILITY IN WATER:	None



10. Stability and Reactivity

Stable under normal conditions – avoid temperatures in excess of 300°C, strong acids and bases, and open flame.

11. Toxicological Information

Unknown.

12. Ecological Information

Unknown

13. Disposal Considerations

No known hazard. Dispose of in accordance with local regulations; material and all components are non-toxic and disposal in normal landfill will most often be acceptable.

14. Transportation Information

Not hazardous – safe for non-hazardous shipping.

15. Regulatory Information

Unknown.

16. Other Information

No other information provided.

This page has been intentionally left blank