



**BUILDING TRUST** 

## Sika Emseal Safety Data Sheet Product Package

# 25V System

The information contained in these Emseal-specific or Sika-specific Safety Data Sheets applies only to the actual Sika Corporation ("Sika") product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each Sika Emseal product, which are available at web site and/or telephone number listed in Section 1 of this SDS

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.





### EMSEAL Joint Systems, Ltd.

25 Bridle Lane, Westborough, MA 01581 USA www.emseal.com

Preparation Date March 15, 2015 Revision Date March 14, 2019

#### 1. Identification of the Substance / Preparation

Product identifier	25V
Other identifier or names	All sizes of 25V Foam
UN ID number	None
Manufacturer Address 11	EMSEAL LLC 1 Royal Group Crescent Woodbridge, Ontario L4H 1X9 Canada
Company Phone	(508) 836-0280 M-F 9am - 5pm
Emergency Phone	CHEMTREC (800) 424-9300 (24 Hours)

#### 2. Hazardous Indentification

Hazardous Classification	This product is not classified as hazardous when used as intended.
Signal Word	None
Pictograms	None
Emergency Overview:	No emergency requirements.

#### 3. Composition / Information on Ingredients

EMSEAL 25V is composed of polyurethane foam (polyester type), flexible, impregnated with an asphalt and acrylic copolymer.

These ingredients are not classified as hazardous as comprised in EMSEAL 25V.

#### 4. First Aid Measures

4.1 EYES:	Flush with water for at least 15 minutes, and call physician if problems persist.
4.2 SKIN:	Product may leave a sticky residue, and mild irritation if prolonged exposure. Scrub with soapy water until adhesive is removed.
4.3 INGESTION:	Do not eat – call physician if ingested.

#### 5. Fire-fighting Measures

5.2 FLAMMABILITY:	Slight. Material can support an open flame or smoldering ignition. The foam can melt while burning which can contribute fire to spread.
5.2 FLASH POINT:	Unknown.
5.3 AUTO-IGNITION TEMPERATURE:	Unknown.
5.4 EXTINGUISHING MEDIA:	Large volumes of water, or ABC chemical may be appropriate for initial control or small volumes of impregnated foam.
5.5 HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon di/mon oxides will be formed as well as other noxious and toxic fumes upon combustion – do not breath combustion products.

#### **6. Accidental Release Measures**

If material is unusable pick up pieces and dispose of in accordance with local regulations; material and all components are nontoxic and normal landfill will most often be acceptable.

#### 7. Handling and Storage

Store in original packaging below 35°C. There are no special handling instructions.

#### 8. Exposure Controls / Personal Protection

8.1 RESPIRATORY PROTECTION:	Not required
8.2 EYE PROTECTION:	Not required
8.3 SKIN PROTECTION:	Gloves of any material are suitable if desired, but not required. No other protection is required.

#### 9. Physical and Chemical Properties

9.1 APPEARANCE:	Dark grey / charcoal colored foam reel supplied on a cardboard core.
9.2 ODOR:	Slight characteristic odor.
9.3 PERCENT SOLIDS BY WEIGHT:	100%
9.4 PHYSICAL STATE:	Solid
9.5 PERCENT VOLATILE:	<1% wt/wt
9.6 DENSITY:	0.4g/cm3
9.7 DECOMPOSITION:	> 300°C
9.8 SOLUBILITY IN WATER:	None



#### 10. Stability and Reactivity

Stable under normal conditions - avoid temperatures in excess of 300°C, strong acids and bases, and open flame.

#### **11. Toxicological Information**

Unknown.

#### **12. Ecological Information**

Unknown

#### **13. Disposal Considerations**

No known hazard. Dispose of in accordance with local regulations; material and all components are non-toxic and disposal in normal landfill will most often be acceptable.

#### **14. Transportation Information**

Not hazardous - safe for non-hazardous shipping.

#### **15. Regulatory Information**

Unknown.

#### **16. Other Information**

No other information provided.

This page has been left blank.