

HYDROFLEX 30 OR OTHER APPROVED PROTECTION (BY AMERICAN HYDROTECH)

VEE FLOODED WITH MM6125 TO ENSURE CONTINUITY OF MEMBRANE AND FACILITATE DRAINAGE ACROSS THE JOINT

SLIP SHEET (BY OTHERS) ONLY USED WHEN FLOODED W/ HOT APPLIED RUBBERIZED ASPHALT

TERM BAR & FASTENER (BY SIKA EMSEAL)

TOP FLAP OF ROOFJOINT ENCAPSULATED IN AND BONDED TO WATERPROOFING MEMBRANE

MONOLITHIC MEMBRANE 6125-FR (BY AMERICAN HYDROTECH)

FLEX-FLASH F (BY AMERICAN HYDROTECH)

ROOFJOINT (BY SIKA EMSEAL)

BOTTOM FLAP OF ROOFJOINT ENCAPSULATED IN AND BONDED TO WATERPROOFING MEMBRANE AS WELL AS MECHANICALLY FASTENED

**NOTES:**

1. SLIP SHEET CAN BE A STRIP OF FLEX-FLASH F OR POLYETHYLENE PLASTIC SHEET PLACED OVER THE INSTALLED MM6125. THIS WILL ALLOW FOR FREE MOVEMENT OF THE EXPANSION JOINT SYSTEM AND MM6125 UNDER THE PROTECTION SHEET.
2. LAPS OF THE PROTECTION SHEET SHOULD TAKE PLACE OVER THE JOINT AND LEFT DRY FOR FREE MOVEMENT

MATERIAL	INSTALLATION WIDTH
RJ-0200	2-3 IN
RJ-0400	3-5 IN
RJ-0600	5-7 IN
RJ-0800	7-9 IN



A SIKA COMPANY



A SIKA COMPANY



BUILDING TRUST

# SIKA EMSEAL

## ROOFJOINT-FLUID APPLIED WATERPROOFING-FLOODED W/ MM6125

THIS DOCUMENT CONTAINS INFORMATION OF A CONFIDENTIAL NATURE AND IS PROPRIETARY TO EMSEAL JOINT SYSTEMS LTD. ANY UNAUTHORIZED USE WILL BE PROSECUTED. THIS DRAWING IS PROTECTED BY COPYRIGHT, THE RIGHT TO REPRODUCE IN ANY FORM BEING THE EXCLUSIVE RIGHT OF EMSEAL JOINT SYSTEMS LTD. ANY UNAUTHORIZED REPRODUCTION WHETHER IN TWO OR THREE DIMENSIONS WILL BE PROSECUTED. © 2014 EMSEAL JOINT SYSTEMS LTD.

DRAWN BY: JAH	DATE: 2022/06/09	SCALE: N.T.S.	SHEET No: 1 OF 1
------------------	---------------------	------------------	---------------------

PART NUMBER:  
RJ-0200-DD-FLUID-APPLIED-FLOODED-MM6125