



NOTES:

- 1 - TOP TERMINATION AND WALL FINISH WILL VARY WITH WALL DESIGN.
- 2 - NEW OR EXISTING WOOD NAILERS SHALL BE ATTACHED ACCORDING TO THE D.O.R., LOCAL CODE, OR INSURANCE REQUIREMENTS. WHICHEVER IS MORE STRINGENT.

MATERIAL	INSTALLATION WIDTH
RJ-0200	2-3 IN
RJ-0400	3-5 IN
RJ-0600	5-7 IN
RJ-0800	7-9 IN

Sarnafil®



SIKA EMSEAL

ROOFJOINT-SARNAFIL-HOT-AIR WELD

THIS DOCUMENT CONTAINS INFORMATION OF A CONFIDENTIAL NATURE AND IS PROPRIETARY TO EMSEAL JOINT SYSTEMS LTD. ANY UNAUTHORIZED USE WILL BE PROSECUTED. THIS DRAWING IS PROTECTED BY COPYRIGHT. THE RIGHT TO REPRODUCE IN ANY FORM BEING THE EXCLUSIVE RIGHT OF EMSEAL JOINT SYSTEMS LTD. ANY UNAUTHORIZED REPRODUCTION WHETHER IN TWO OR THREE DIMENSIONS WILL BE PROSECUTED. © 2023 EMSEAL JOINT SYSTEMS LTD.

DRAWN BY: ARP	DATE: 20023/07/26	SCALE: N.T.S.	SHEET No: 1 OF 1
------------------	----------------------	------------------	---------------------

PART NUMBER:
RJ-DW-SARNAFIL-HOT-AIR-WELD